



Most Widely Accepted and Trusted

ICC-ES Report

PMG-1437

Reissued 08/2018

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

This report is subject to renewal 08/2019

EVALUATION SUBJECT:

AQUATECHNIK SAFETY[®]-POL PEX-AL-PEX PIPE AND FITTING SYSTEM

DIVISION:

23 00 00—HEATING, VENTILATING AND AIR CONDITIONING (HVAC)

SECTION:

23 21 13—HYDRONIC PIPING

DIVISION:

22 00 00—PLUMBING

SECTION:

22 11 16—DOMESTIC WATER PIPING

Report Holder:

AQUATECHNIK GROUP S.P.A.

Look for the ICC-ES marks of Conformity!



ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report. Copyright © 2018 ICC Evaluation Service, LLC. All rights reserved.



ICC-ES PMG Product Certificate

PMG-1437

Effective Date: August 2018

This listing is subject to re-examination in one year.



www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543 A Subsidiary of the International Code Council®

CSI: DIVISION: 22 00 00—PLUMBING
Section: 22 11 16—Domestic Water Piping
DIVISION: 23 00 00—HEATING, VENTILATING AND AIR CONDITIONING (HVAC)
Section: 23 21 13—Hydronic Heating

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Products: Aquatechnik Safety®-Pol PEX-AL-PEX Pipe and Fitting System

Listee: Aquatechnik Group s.p.a
Via P.F. Calvi, 40
Magnago (MI) 20020 Italy
www.aquatechnik.it
www.aquatechnikNA.com

Compliance with the following codes:

2018, 2015, 2012, 2009, 2006, and 2003 *International Plumbing Code*® (IPC)
2018, 2015, 2012, 2009, 2006, and 2003 *International Residential Code*® (IRC)
2018, 2015, 2012, 2009, 2006, and 2003 *International Mechanical Code*® (IMC)
2018, 2015, 2012, 2009, 2006, and 2003 *Uniform Plumbing Code*® (UPC)*
2018, 2015, 2012, 2009, 2006, and 2003 *Uniform Mechanical Code*® (UMC)*
2011 *Uniform Plumbing Code - India*™ (UPC-I)*
2015 and 2010 *National Plumbing Code of Canada*® (NPC)**

*Copyrighted publication of the International Association of Plumbing and Mechanical Officials

** Copyrighted publication of the National Research Council Canada

Compliance with the following standards:

ASTM F1281-2017, Standard Specification for Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene (PEX-AL-PEX) Pressure Pipe
NSF/ANSI 14-2016b, Plastic Piping Systems Components and Related Materials
NSF 61-2017, Drinking Water System Components – Health Effects
CSA B137.10-2017 Crosslinked Polyethylene/Aluminum/Crosslinked Polyethylene (PEX-AL-PEX) Composite Pressure Pipe Systems

Identification:

Pipe: The Aquatechnik PEX-AL-PEX pipe shall be marked every 5 feet (1.5 m) with the following: company name or trademark, material (PEX-AL-PEX), nominal size (for example, 1216), temperature and pressure ratings, ASTM F1281 designation, production code, pipe intended for the transport of